

A hand-drawn perspective view of a mechanical assembly. The assembly includes a base structure with a vertical section (36) and a horizontal section (40). A cylindrical component (20) is positioned above the base. A rectangular block (26) is attached to the side of the base. A long, thin rectangular component (30) extends from the base. A curved component (32) is located near the base. A small rectangular component (34) is attached to the side of the base. A long, thin rectangular component (38) extends from the base. A small rectangular component (42) is attached to the side of the base. A small rectangular component (44) is attached to the side of the base. A small rectangular component (46) is attached to the side of the base. A small rectangular component (48) is attached to the side of the base. A small rectangular component (50) is attached to the side of the base. A small rectangular component (52) is attached to the side of the base. A small rectangular component (54) is attached to the side of the base. A small rectangular component (56) is attached to the side of the base. A small rectangular component (58) is attached to the side of the base. A small rectangular component (60) is attached to the side of the base. A small rectangular component (62) is attached to the side of the base. A small rectangular component (64) is attached to the side of the base. A small rectangular component (66) is attached to the side of the base. A small rectangular component (68) is attached to the side of the base. A small rectangular component (70) is attached to the side of the base. A small rectangular component (72) is attached to the side of the base. A small rectangular component (74) is attached to the side of the base. A small rectangular component (76) is attached to the side of the base. A small rectangular component (78) is attached to the side of the base. A small rectangular component (80) is attached to the side of the base. A small rectangular component (82) is attached to the side of the base. A small rectangular component (84) is attached to the side of the base. A small rectangular component (86) is attached to the side of the base. A small rectangular component (88) is attached to the side of the base. A small rectangular component (90) is attached to the side of the base. A small rectangular component (92) is attached to the side of the base. A small rectangular component (94) is attached to the side of the base. A small rectangular component (96) is attached to the side of the base. A small rectangular component (98) is attached to the side of the base. A small rectangular component (100) is attached to the side of the base.

11-5-74




Fig. 2

cross section







Fig. 2A



3/5/21

[illegible]

45

[illegible]

5